

Particle-Based Approximate Inference

Sargur Srihari

srihari@cedar.buffalo.edu

Topics

- Approximate Inference Methods
- Terminology of particles (Physics)
- Particle methods and PGMs
- Characterization of Particle Methods
- Task for Particle Methods
- Names of Sampling Methods

Approximate Inference Methods


- Variational inference methods
 - Lead to algorithms similar to factor manipulation methods of exact inference
- Particle-based methods
 - Very different class of methods
 - We approximate the joint distribution as a set of instantiations to all or some of the variables
 - Instantiations are often called particles
 - They are designed to provide a good representation of the overall probability distribution

Particle-based Methods in PGMs

- Particle-based methods approximate inference by generating multiple samples from the distribution that a graph factorizes
- Term “particle” arises from physics



Particles in Physics

- Charged particle beams in phase



- Uniform over ellipse


- Every point is a particle



- Gaussian (86% lie within ellipse)

- Particles from symmetric 2D Gaussian

– Joint distribution of two variables



Two characterizations of Particle Methods

1. Particle generation method

- Wide variety, two extremes are
 1. Particles from a deterministic process
 2. Sample particles from some distribution
 - Many variations within each category


2. Type of particle

– Full particles

- Assignment to all network variables χ
 - Disadvantage: particle occupies only a small part of space

– Collapsed particle

- Specifies assignment w to subset of variables W
 - Associating with it the conditional distribution $P(\chi|W)$ or some summary of it



Task for Particle-based Methods

- Given a distribution $P(\boldsymbol{\chi})$ we want to estimate the probability of some event $\mathbf{Y}=\mathbf{y}$ relative to P for some $\mathbf{Y} \in \mathcal{X}$ and $\mathbf{y} \in \text{Val}(\mathbf{Y})$
- More generally we want to estimate the expectation of some function $f(\boldsymbol{\xi})$ relative to P

Methods discussed

1. Forward Sampling

- Simplest possible method
- Simply generates samples from original network

2. Likelihood weighting and Importance sampling

- Significantly improved method
- Generates samples closer to posterior distribution

3. Markov chain Monte Carlo

- Sampling process that generates, as it converges, samples arbitrarily close to posterior

- Apply mainly to Bayesian Networks, not Markov networks